

Tarping Systems, Inc.

"Experience the Difference"



PRODUCT CATALOG

DUMP BODY / TRAILER / ROLL OFF

ELECTRIC / MANUAL - FRONT TO BACK / SIDE ROLL / CABLE

PREMIUM TARP MOTORS

12v and 24v Tarp Motors

We offer **Premium Tarp Motors** to meet any need from small dump bodies to large trailers. As shown to the right, our motor comes with a chrome cover, its 5 bolt pattern makes it compatible with any **Tarping System** currently in use from any manufacturer using a 3, 4, or 5 bolt pattern. Our **Premium Tarp Motors** will replace your existing motor.



TSI Motor #: Listed Below

STANDARD FEATURES:


- Universal 3/4" x 3 3/4" Stud Shaft
- Motor Cover with Chrome Appearance
- 12 Volt Direct Drive
- Standard 3 and 5 year warranties
- **Excluding warranty motors**

OPTIONS:

- 24 Volt Direct Drive

Will it fit my Kit?

Our motors have a 5 bolt pattern. This makes them compatible with other brands **3 bolt** and **4 bolt** patterns.



T-APACHE



T-TOMAHAWK



T-ENFORCER 2.0

12v MOTORS	DESCRIPTION
T-APACHE	APACHE Slim Tarp Motor. 50:1. 12v. 3 yr Wty. 600 Watt
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T-ENFORCER 2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
24v MOTORS	DESCRIPTION
T-APACHE24	APACHE Slim Tarp Motor. 50:1. 24v. 3 yr Wty. 600 Watt
T-TOMAHAWK24	TOMAHAWK Tarp Motor. 60:1. 24v. 3 yr. Wty. 600 Watt
T-ENFORCER 2.024	ENFORCER HD Tarp Motor. 90:1. 24v. 5 yr. Wty. 1200 Watt

DRONE

A SUPER DUTY Motor to keep your truck on the road LONGER.



REPLACEMENT PARTS

Part No.	Description
T-CMC	Chrome Motor Cover
T-ACMC	Apache Chrome Motor Cover
T-TCMC	Tomahawk Chrome Motor Cover
T-ECMC	Enforcer Chrome Motor Cover


Recommended Use	
T-Apache	28' Trailers/ Dump Bodies or Less
T-Tomahawk	28' Trailers/ Dump Bodies or Less
T-Enforcer 2.0	38' Trailers/ Dump Bodies or Less
T-Drone	48' Trailers/ Dump Bodies or Less

"Experience the Difference"

INDUSTRIAL GRADE TARPAULIN




18oz Vinyl



Super Mesh



Black Mesh



Multi Mesh

STANDARD FEATURES:

- 6" Reinforced pockets
- HD Webbing and Grommets on all three sides
- Double lock stitching throughout


OPTIONS:

- Ask about Custom Tarps
- Putting Green Covers available
- Add D-Rings or Straps


- Side and End Flaps
- Color Options Available

Multi colors are not always the same color and could vary.

LUMBER TARP



**24' x 27' Lumber Tarp
With 8' Drop and Rain Flaps**



**24' x 27' Lightweight Lumber Tarp
with 8' Cordura Fabric drop and Rain Flaps**




Part No.	Description
T-2427LBTC	24' X 27' Lumber Tarp with Rear Flap and Rain Flaps, 103 LBS 8 Foot Drops
T-2027LBTC	20' X 27' Lumber Tarp with Rear Flap and Rain Flaps, 89 LBS 6 Foot Drops
T-1627LBTC	16' X 27' Lumber Tarp with Rear Flap and Rain Flaps, 70 LBS 4 Foot Drops
T-1627LBTWC	16' X 27' Lightweight Lumber Tarp with Rear Flap and Rain Flaps. 61 LBS. 4 Foot Drop
T-2027LBTWC	20' X 27' Lightweight Lumber Tarp with Rear Flap and Rain Flaps. 76 LBS. 6 Foot Drop
T-2427LBTWC	24' X 27' Lightweight Lumber Tarp with Rear Flap and Rain Flaps. 88 LBS. 8 Foot Drop

FREIGHT NOT INCLUDED

"PATRIOT"

Aluminum 4 and 5 Spring Electric Kit

Our **PATRIOT** is a polished aluminum arm **Tarping System** with side mounted spiral torsion springs. Complete bolt-on assembly, no welding needed, and the polished aluminum arms will never rust! This kit is powered by our **Apache Slim** or **Tomahawk** direct drive motor for dump bodies up to 28'.



TSI Kit #: PAT-4SP / PAT-5SP

Tarp not included.

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Apache Slim Motor w/ **3-yr wty**
- Fully Adjustable Aluminum Tarp Axle
- Complete Aluminum Arm Set
- Patriot Rubber Bumper
- All Necessary Components for Installation

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- **Motor:** 60:1 **Tomahawk**
- **Motor:** 90:1 Heavy Duty **Enforcer**
- **Motor:** 60:1 Super Heavy Duty **Drone**
- 30 or 45 Degree Bend Inserts for Arms
- Tarp Tension Arm Assembly.



T-RSK



T-W6G



T-ATA93



T-TARPTEN



T-APACHE

OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates
T-A30CA or T-A45CA	30 or 45 Degree Elbow Inserts
T-TARPTEN	Tarp Tension Arm Assembly [See Page 21]

REPLACEMENT PARTS

Part No.	Description
T-PP4SPA	4 Spring Pivot Pin
T-PP5SPA	5 Spring Pivot Pin
T-STs	Spiral Torsion Spring
T-ERR	External Retaining Ring
T-ATA93	Fully Adjustable Tarp Axle from 93" to 110"
T-ABWF	Axle Bearing w/ Flanges
T-SS	Stud Shaft

Part No.	Description
T-ALA478	4 Spring Aluminum Lower Arm
T-ALA593	5 Spring Aluminum Lower Arm
T-ASAWC93	Aluminum Side Arm w/ Corner
T-A30CA	30 Degree Elbow Insert
T-A90CA	Aluminum 90 Degree Corner
T-ACT93	Adjustable Cross Tube 93" - 110"
T-PRB	Patriot Rubber Bumper

"PATRIOT" UNDERBODY

Aluminum Underbody Mount Electric Kit

Our **PATRIOT** Underbody Kit is a polished aluminum pivot arm Tarping System with underbody mounted spiral torsion springs powered by our **Tomahawk** or heavy-duty **ENFORCER** direct drive motor for dump bodies up to 38'. Complete bolt-on assembly, no welding needed with polished aluminum pivot arms that never rust!



TSI Kit #: PAT-UB84 / PAT-UB144

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Motor w/ **3 or 5-yr wty**
- Fully Adjustable Aluminum Tarp Axle
- Complete Aluminum Arm Set
- Patriot Rubber Bumper
- All Necessary Components for Installation

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- **Motor:** 90:1 Heavy Duty **Enforcer**
- **Motor:** 60:1 Super Heavy Duty **Drone**
- 30 or 45 Degree Bend Inserts for Arms
- Tarp Tension Arm Assembly



T-RSK



T-DRONE



T-UBSD10



T-DPPS



T-ENFORCER2.0



T-TARPten

OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-ENFORCER2.0	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-DRONE	Aluminum Wind Deflector. Cut to Fit.
T-AWDK	Steel Wind Deflector. Two Piece Ad-justable.
T-SWDK	92" or 98" Aluminum Enclosed Housing.
T-98AH OR T-92AH	Housing Support Braces.
T-AHSBA	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-RPSS or T-RPSS2	Replaces 30' of wire with contact plates
T-CP	30 or 45 Degree Elbow Inserts
T-A30CA or T-A45CA	Tarp Tension Arm Assembly [See Page 21]
T-TARPten	

REPLACEMENT PARTS


Part No.	Description
T-UBSS10	Complete underbody 10 spring set
T-UBSS58	Complete underbody 5/8 coil spring set
T-AUBPC	PATRIOT Pivot Casting
T-ATA93	Fully Adjustable Tarp Axle 93"-110"
T-ABWF	Axle Bearing
T-SS	Stud Shaft
T-ATSMBXL	XL Tarp Spool Mounting Bracket

Part No.	Description
T-AUBLA84	PATRIOT 84" Lower Arm
T-AUBLA144	PATRIOT 144" Lower Arm
T-ASAWC	Aluminum Side Arm w/ Corner 103"
T-A30CA	30 Degree Elbow Insert
T-A90CA	Aluminum 90 Degree Corner
T-ACT93	Adjustable Cross Tube 93" - 110"
T-PRB	Patriot Rubber Bumper

"Experience the Difference"

"PATRIOT" UNDERBODY ARM SET PARTS BREAKDOWN

- 1) Underbody Spring
- 2) PATRIOT Pivot Casting
- 3) Aluminum Lower Arm
- 4) Aluminum Side Arm with Corner
- 5) **Aluminum 45 / 30 Degree Elbow***
- 6) Aluminum 90 Degree Corner
- 7) Aluminum Cross Tube
- 8) Patriot Rubber Bumper



ASSEMBLY #

PAT-UB84-PTP

PAT-UB144-PTP

*All items in red are an option

1




T-UBSD10 (Left)
T-UBSP10 (Right)

2



T-AUBPC

3



T-AUBLA84
T-AUBLA144

4



T-ASAWC

5



T-A30C (Top)
T-A45C (Bottom)

6



T-A90C

7



T-ACT93

8



T-PRB

"TERMINATOR"



Premium Aluminum 4 Spring Electric Kit

Our Terminator is a **Premium** aluminum Tarping System with a solid aluminum lower arm powered by our **Apache Slim** or **Tomahawk** direct drive motor for dump bodies up to 20' long. The 'Unbreakable' arm comes straight or w/ 30 degree bends, and the springs are enclosed by high impact covers to maximize their lifespan. Bolt or Weld on assembly.



TSI KIT #: TERM-4SP

Tarp not included.

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Connector Wire
- 12v Apache Slim Motor w/ **3-yr wty**
- Fully Adjustable Tarp Axle
- Complete **Premium** Aluminum Arm Set
- Debris Covers for Pivot Castings
- Rubber Bumpers
- All Necessary Components for Installation

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- **Motor:** 60:1 **Tomahawk**
- **Motor:** 90:1 Heavy Duty **Enforcer**
- **Motor:** 60:1 Super Heavy Duty **Drone**
- Arms With Out Bend



T-RSK



T-TOMAHAWK



T-ATA93



T-ENFORCER2.0



T-APACHE



T-STRB

OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Hous-ing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates

REPLACEMENT PARTS


Part No.	Description
T-TPP4SPA	4 Spring Pivot Pin
T-TPFBC	Plastic Flange Bushing
T-STs	Spiral Torsion Spring
T-ERR	External Retaining Ring
T-ATA93	Fully Adjustable Tarp Axle
T-ABWF	Axle Bearing w/ Flanges
T-SS	Stud Shaft

Part No.	Description
T-TERM4SPC	4 Spring Pivot Casting
T-TSA10	10' Unbreakable Arm, Straight
T-BA10	10' Unbreakable Arm, w/ Bend
T-TSCT1203	TERMINATOR 3 Piece Cross Tube
T-STRB	Stealth Terminator Rubber Bumper

"Experience the Difference"

"TERMINATOR" ARM SET PARTS BREAKDOWN

- 1) Pivot Pin
- 2) Pivot Casting
- 3) Spiral Torsion Springs
- 4) Stainless Steel Bushing
- 5) External Retaining Ring
- 6) Plastic Bushing
- 7) TERMINATOR Side Arm
- 8) TERMINATOR 90° Corner
- 9) Stealth Terminator Rubber Bumper



ASSEMBLY #
TERM-4SP-10B-RB-3P-PTP

1



T-TPP4SP

2



T-TERMPC4SPC

3



T-STS

4



T-SSB

5



T-ERR

6



T-TPFBC

7



T-TSA10
T-BA10

8



T-T90C

9




T-STRB

"TERMINATOR" UNDERBODY

Premium Underbody Mount Electric Kit

Our **TERMINATOR** Underbody is a **Premium** aluminum **Tarping System** with extruded aluminum lower arms powered by our **Tomahawk** or heavy duty **ENFORCER** direct drive motor for dump bodies up to 40' long. Arms over 12' are coupled in two pieces to reduce the cost of replacing the arm when a loader bumps into it. This way you only need to replace one 10' or 12' piece instead of paying for shipping a 20' solid arm piece.



TSI Kit #: TERM-UB10 / TERM-UB20

Tarp not included.

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Motor w/ **3 or 5-yr wty**
- Fully Adjustable Aluminum Tarp Axle
- Complete **Premium** Aluminum Arm Set
- Rubber Bumpers
- All Necessary Components for Installation
- 3-piece Steel Cross Tube

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- **Motor:** 90:1 Heavy Duty **Enforcer**
- **Motor:** 60:1 Super Heavy Duty **Drone**
- Arms w/No Bend
- 20' Straight Arm Available



T-RSK



T-T90CA



T-ATA93



T-92AH



T-ENFORCER2.0



T-STRB

OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates

REPLACEMENT PARTS

Part No.	Description
T-UBSS10	Complete underbody 10 spring set
T-UBSS58	Complete underbody 5/8 coil spring set
T-TUBPC	TERMINATOR Pivot Casting
T-ATA93	Fully Adjustable Tarp Axle
T-ABWF	Axle Bearing
T-SS	Stud Shaft
T-ATSMBXL	XL Tarp Spool Mounting Bracket


Part No.	Description
T-TSA10	10' Straight Arm
T-TSA12	12' Straight Arm
T-TCT	TERMINATOR Coupling Tube
T-TSCT102	1 Piece Cross Tube
T-STRB	Stealth Terminator Rubber Bumper
T-TSCT1203	3 Piece Cross Tube

Terminator Underbody Arm Set Parts Breakdown

- 1) Underbody Spring
- 2) TERMINATOR Pivot Casting
- 3) TERMINATOR Side Arm
- 4) TERMINATOR Signature Coupling
- 5) TERMINATOR 90-Degree Corner
- 6) Stealth Terminator Rubber Bumper



Top arm will have a bend.



*On trailers above 34'
we recommend purchasing
assist springs.*




ASSEMBLY #

TERM-UB10B-10-RB-3P-PTP

TERM-UB202B-10-RB-3P-PTP




**T-UBSD10 (Left)
T-UBSP10 (Right)**




T-TUBPC



**T-TSA10
T-TSA12**



T-TCTWH



T-T90C



T-STRB

Why the two-piece arm?

In the past the standard arms were one long 20' stick. What we found is that a 20' arm gets damaged the same as a 10' arm when a loader slams into it.

Then we realized that we could save our customers a lot of money by offering a 'compartmentalized' arm. They work just the same and cost half as much to repair when the loader hits.

*Ask your rep about 20' Side Arms
if you need them.*

"STEALTH"

Steel 4 and 5 Spring Electric Kit

Our **STEALTH** is a premium galvanized steel arm **Tarping System** with external mounted spiral torsion springs, galvanized rust-resistant steel arms, complete bolt-on assembly, no welding needed, and is powered by our **Apache Slim** or **Tomahawk** direct drive motor. This system is designed for dump bodies up to 28'.



TSI Kit #: STH-4SP / STH-5SP

Tarp not included.

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Apache Slim Motor w/ **3-yr wty**
- Fully Adjustable Aluminum Tarp Axle
- Complete Steel Arm Set
- STEALTH Terminator Rubber Bumper
- All Necessary Components for Installation

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing, Aluminum or Steel Wind Deflector
- **Motor:** 60:1 **Tomahawk**
- **Motor:** 90:1 Heavy Duty **Enforcer**
- **Motor:** 60:1 Super Heavy Duty **Drone**
- Custom Ordered 30 Degree Bends In Arms



OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates


REPLACEMENT PARTS

Part No.	Description
T-PP4SPA	4 Spring Pivot Pin
T-PP5SPA	5 Spring Pivot Pin
T-STs	Spiral Torsion Spring
T-ERR	External Retaining Ring
T-ATA93	Fully Adjustable Tarp Axle
T-ABWF	Axle Bearing w/ Flanges
T-SS	Stud Shaft

Part No.	Description
T-SLA493	4 Spring Steel Lower Arm
T-SLA593	5 Spring Steel Lower Arm
T-SUA93	Steel Upper Arm
T-SCT93	93" Steel Cross Tube
T-S90CA	Steel 90 Degree Corner
T-STRB	STEALTH Terminator Rubber Bumper

STEALTH ARM SET PARTS BREAKDOWN

- 1) Pivot Pin
- 2) Spiral Torsion Springs
- 3) Stainless Steel Bushing
- 4) External Retaining Ring
- 5) Steel Lower Arm
- 6) Steel Upper Arm
- 7) Steel 90 Degree Corner
- 8) STEALTH Terminator Rubber Bumper
- 9) Steel Cross Tube



ASSEMBLY #
STH-4SP93-PTP
STH-5SP93-PTP

1



T-PP4SPA
T-PP5SPA

2



T-STs

3



T-SSB

4



T-ERR

5



T-SLA493
T-SLA593

6



T-SUA93

7



T-S90CA

8



T-STRB

9



T-SCT93

"CRANK AND PULL"

Cab Level Crank Tarp System

Our **CRANK AND PULL** kit is a manual cab level crank kit that is perfect for landscape trailers and medium/light duty truck bodies. This kit is the answer to our partners looking for the most affordable, easiest to operate, nothing in the way **Tarping System**.



TSI Kit #: T-CABLCK

Tarp not included.

STANDARD FEATURES:

- Manual Wind-up
- Expands from 60" To 104" Wide
- Fits Any Body Length
- Quick And Easy Tarp Replacement

OPTIONS:

- Ground Level Conversion
- Steel Pull Bar Assembly With Aluminum Foot Caps (T-CABLCK2)



T-CABLATA



T-AEFC



T-CABAS1



T-RETAIN01



T-38ROPE



T-CABLSCT

SYSTEM NO.	DESCRIPTION
T-CABLCK	Manual Crank Kit. Cab Level. No Pull Bar or Retainers.
T-CABLCK294	Manual Crank Kit. Cab Level. Includes Steel Pull Bar Assembly, Retainers, Box Hooks, and Pull Rope.
T-CABLCK3	Manual Crank Kit. Includes Cab Level Crank and Ground Level Crank Box.
T-CABLCK4	Manual Crank Kit. Cab Level. Includes GROUND LEVEL CRANK, Steel Pull Bar Assembly, Retainers, Box Hooks, and Pull Rope.

Dump Body Walls Too High?

The T-CABGLCK brings the crank handle from the cab level to the ground level for safer and easier use.



***T-CBGL2



REPLACEMENT PARTS

Part No.	Description
T-CABLCH	Cab Level Crank Handle
T-CABAS1	Cab Level Sprocket
T-CABLSCT	Steel Pull Bar
T-AEFC	Aluminum End Foot Caps at Bottom
T-RETAIN01	Pull Bar Retainer
T-DCLB	Driver Side Mounting Bracket
T-CABLATA	Cab Level Axle


Just in case!

The "Crank And Pull" cannot be converted to an electric external mount kit or used with springloaded arms. If you think you might want to go electric one day, ask your rep about options that can be converted.

"Experience the Difference"

"CRANK AND PULL" PARTS BREAKDOWN

- 1) Crank Handle
- 2) Mounting Plate w/ Break Handle
- 3) 1" Axle Bearing w/ Flanges
- 4) Adjustable Aluminum Tarp Axle
- 5) Passenger Cab Level Mounting Bracket
- 6) **Steel Pull Bar Assembly**



ASSEMBLY # SHOWN:

T-CABLCK

T-CABLCK294 (OPTION)

1



T-CLCH

2



T-DCLB

3



T-CAB-ABWF1

4



T-CABLATA

5



T-PCLB

6



T-SCLPBA94

Experience the Difference!


This kit is designed to work for small dump trailers up to large dump trucks.

It is very similar to other cab level crank style kits. Placed side-by-side, you probably wouldn't notice the difference, but you'll definitely experience it!

GROUND LEVEL

Ground Level Manual Controls

Our manual ground level kit is a ground operated **Tarping System** that comes with polished aluminum, premium aluminum, or galvanized steel pivot arms for dump bodies of all sizes. Kits ordered with this part number variation can be easily converted to an electric system!



TSI Opt. #: Add "GL" to Kit #

Tarp not included.

STANDARD FEATURES:

- Crank Box With Internal Break
- Fully Adjustable Tarp Axle
- Complete Arm Set
- All Necessary Components for Installation
- All Non-electric Standard Features from Each Kit's Page Apply To the Ground Level

OPTIONAL ACCESSORIES:

- Chain Guard
- Tarp Housing or Aluminum or Steel Wind Deflector
- All Non-electric Options from Each Kit's Page Apply To the Ground Level.



T-ATSMB



T-AWD



T-ATA93



T-92AH



T-CG36A



T-AHSB

VARIANT NO.	DESCRIPTION
STH-4SP93-GL	STEALTH 4 Spring Steel System. Up to 23'. Manual
STH-5SP93-GL	STEALTH 5 Spring Steel System. Up to 28'. Manual
PAT-4SP78-GL	PATRIOT 4 Spring Alum System. Up to 23'. Manual
PAT-5SP93-GL	PATRIOT 5 Spring Alum System. Up to 28'. Manual
TERM-4SP-GL	TERMINATOR 4 Spring Premium. Up to 20'. Manual
PAT-UB84-GL	PATRIOT Underbody Alum System. Up to 28'. Manual
PAT-UB144-GL	PATRIOT Underbody Alum System. Up to 38'. Manual
TERM-UB10-GL	TERMINATOR Underbody Prem Alum. Up to 20'. Manual

OPTION NO. (ADD)	DESCRIPTION
All non-electric options apply from each kit's base page	
T-CG36A	36" Chain Guard.
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSB	Housing Support Braces.


REPLACEMENT PARTS

Part No.	Description
All Non-Electric Parts Apply	
T-CBGL1	Crank Box w/ Internal Break
T-SB14	14" Sprocket Bar
T-C#40	Ground Level Chain
T-CG36A	36" Chain Guard
T-ATA93	Fully Adjustable Tarp Axle
T-ABWF	Axle Bearing w/ Flanges

Electric Conversion is Simple

Converting your manual kit to an electric kit is as simple as adding wire, a switch, and a motor. If you want to save some money up front, this is a great option. Start with a ground level crank, and convert to electric later.

ASSEMBLY # SHOWN:
T-SKMP93-GL



1



T-CBGL1

****Spring Loaded Systems Only**

2



T-C#40

3



T-SB14

4



T-ABWF

5




T-ATSMB

6



T-RBMP

7



T-ATA93

8



T-SS

9



T-AWD

NOT SHOWN



T-CG36A

"SLINGSHOT™"

Self Retracting Pull Style Kit

The SlingShot™ is a modern front to back dump truck Tarping System. It is a semi automatic and easy to use kit with a simple pull feature. Use the rope to pull the tarp over the load, and when you're finished slowly release the rope and the spring loaded tarp axle will retract the tarp for you. The spring loaded axle is easily adjustable from 78" up to 102" wide

TARP ARMS NOT REQUIRED



TSI Kit #: T-SLINGSHOTWH

Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Strong, Lightweight Extruded Spring Loaded Aluminum Tarp Axle
- Adjustable Steel Tarp Housing
- 30' Nylon Pull Rope and Box Hooks
- Pull Bar Assembly With Aluminum End Foot Caps and Pull Bar Retainers
- Sliding Adjustable tube from 78" up to 102" wide.
- Preassembled And Ready for Install.

OPTIONAL ACCESSORIES:

- Tarp Tensioner Arm
- Compatible Arm Sets To Raise the Tarp Over the Load



T-SSTA



T-SCLPBA



T-SSC



T-SSSH

SYSTEM NO.	DESCRIPTION
T-SLINGSHOTWH	Self Retracting Pull Style System with Adjustable Housing
OPTIONAL ACCESSORIES	DESCRIPTION
T-TARP TEN	Tarp Tensioner Assembly
STH-4SP93-PTP-NS	STEALTH Springless Arm Set. Up to 23'
PAT-4SP78-PTP-NS	PATRIOT Springless Arm Set. Up to 23'

Experience the Difference!

You will be glad to know that our SlingShot with adjustable housings are pre-assembled less tarp.

REPLACEMENT PARTS

Part No.	Description
T-SSTA	SlingShot™ Tarp Axle
T-SSSH	SlingShot Steel Housing
T-CABL SCT	Steel Pull Bar
T-AEFC	Pull Bar End Caps
T-RETAIN01	Pull Bar Retainer
T-HOOK02	J-Hook

Add An Arm Set

Some people don't like dragging the tarp over the top of the load, especially people hauling asphalt. We offer springless arm sets that will lift the tarp over the load while maintaining the simple pull feature of the SlingShot

- 1) SlingShot Adjustable Housing
- 2) SlingShot Tarp Axle
- 3) Steel Pull Bar
- 4) Aluminum End Foot Cap
- 5) Pull Bar Retainer
- 6) Snapper Pin



ASSEMBLY # SHOWN:
T-SLINGSHOTWH

1



T-SSSH

2



T-SSTA

3



T-SCLPB

4



T-AEFC

5



T-RETAIN01

6



T-PIN01

Did You Know...

That the SlingShot housing is adjustable from 78" all the way up to 102"? The process is extremely easy! Just slide, weld, and bolt.

TARP SPOOL KITS

ELECTRIC CONVERSION SPOOL KIT

The **Tarp Spool Kit** contains every component you need to replace an existing front end, or add a new front end to any trailer or truck. Our **Tarp Spool Kits** are compatible with every manufacturer that uses spring powered arm sets.



TSI Assembly #: T-SKMP

Tarp not included.

STANDARD FEATURES:

- 6 Gauge Dual Connector Wire
- Rotary Switch Kit
- Fully Adjustable Aluminum Tarp Axle
- APACHE Tarp Motor
- Aluminum Tarp Spool Mounting Brackets
- Axle Bearing With Flanges
- Stud Shaft

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Motor Options
- Additional Feet Of Wire
- Tarp Housing or Aluminum or Steel Wind Deflector
- Extra Large Mounting Brackets for Oversized Tarps



T-RSK



T-W6G



T-ATA93



T-CP



T-APACHE

OPTIONAL ACCESSORIES	DESCRIPTION
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Ad-justable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CG36A	36" Chain Guard
T-CP	Replaces 30' of wire with contact plates

REPLACEMENT PARTS


Part No.	Description
T-RSK	Rotary Switch Kit
T-RPSS	Super Switch Kit
T-RPSS2	Weather Resistant Super Switch Kit
T-RS0	Rotary Switch, Only
T-RPS	Reverse Polarity Solenoid
T-RPS2	Weather Resistant RP Solenoid
T-RS	Rocker Switch, Only

Part No.	Description
T-W6G	6 Gauge Wire, Per Foot
T-C#40	Ground Level Crank Chain
T-ATSMB	Tarp Spool Mounting Bracket
T-ATA93	Fully Adjustable Tarp Axle
T-CBGL	Crank Box for SKMP-GL
T-CP	Contact Plate Set

"Experience the Difference"

TARP SPOOL KITS PARTS BREAKDOWN

- 1) HD Extruded Aluminum Tarp Axle
- 2) Stud Shaft
- 3) Tarp Spool Mounting Bracket
- 4) Mounting Bracket
Rubber Bumper
- 5) **Wind Deflector**
- Optional
- 6) Axle Bearing w/ Flanges
- 7) **Housing Support Bracket**
- Optional
- 8) **Aluminum Housing** - Optional
- 9) Dual Connector Wire
- 10) Rotary Switch Kit



1




T-ATA93

2



T-SS

3



T-ATSMB

4



T-RBMP

5 - OPTIONAL



T-AWD

6



T-ABWF

7 - OPTIONAL



T-AHSB

8 - OPTIONAL



T-92 or 98AH

9



T-W6G

10



T-RSK

"PATRIOT" TENSIONER


Front to Back Secondary Arm

Our **PATRIOT** Tensioner is used to keep the tarp pressed tight against the load. Mostly used in applications with a long drop from the tarp spool to the top rail of the dump body.

ASSEMBLY NO.	DESCRIPTION
T-TARPTEN	103" PATRIOT Tarp Tensioner
T-TARPTEN93	93" PATRIOT Tarp Tensioner

PART NO.	DESCRIPTION
T-TTB	Arm Mount
T-TTBC	Pivot Mount
T-PRB	Patriot Rubber Bumper

PART NO.	DESCRIPTION
T-ASAWC93	Aluminum Side Arm w/ Corner
T-A90C	Aluminum 90 Degree Elbow
T-ACT93	Aluminum Cross Tube



1



T-TTB

2



T-TTBC

3



T-ASAWC93

4



T-PRB

5



T-ACT93

"ASSASSIN R/O"

Roll Off Dumpster Covering System

The **ASSASSIN R/O** is the Roll Off Dumpster variant of the Standard **ASSASSIN**. The **R/O** is a waterproof **Tarping System** for roll off containers. This system will fit 20yd, 30yd, & 40yd roll off boxes and every size in between. The tarp rolls from one side to the other, all from ground level for ease of handling. Improve safety, save time, and save money with our **Assassin R/O**.



TSI Kit #: CONKIT

STANDARD FEATURES:

- Standard Heavy Duty Bows
- Standard Tarp Stops
- Compact Crank Handle that can be conveniently stored in the cab of a truck.

OPTIONAL ACCESSORIES:

- Container Kit Tarp
- Quick Release Tarp Stops
- Various material and color options for tarp
- Reinforced Steel Tarp Bows
- Nylon 'Flexbow'



SYSTEM NO.	DESCRIPTION
CONKIT-12	Container kit for dumpster length 12'
CONKIT-16	Container kit for dumpster length 16'
CONKIT-18	Container kit for dumpster length 18'
CONKIT-20	Container kit for dumpster length 20'
CONKIT-22	Container kit for dumpster length 22'

Kits are based on dumpster length

Sizes listed are examples. We offer kits for all lengths of dumpsters.

OPTION NO. (ADD)	DESCRIPTION
T-STOPSWA	EZ Off Aluminum Tarp Stop. 3" Offset
T-STOPOC	EZ Off Aluminum Tarp Stop. 6" Offset
T-STOPRC	EZ Off Rubber Tarp Stop. 3" Offset
T-BOW13	1 1/4 Inch Reinforced Steel Tarp Bow
T-FLEXBOW0101	Flexbow only

REPLACEMENT PARTS

Part No.	Description
T-CRANKRO	R/O Crank Assembly
T-SQCOG	Square Cog Attachment
T-RETURN02	Return Bungee Assembly
T-BOW12	1" Bow Assembly
T-STOP01	Standard Tarp Stop
T-PIPE08	2" Roll Tube 10' Long
T-PIPE09	1 1/8" Fixed Pipe 10' Long

Part No.	Description
T-STOPBS	Easy Off Tarp Stop Mounting Bracket Only
T-STOPR	3" Rubber Stop Only
T-STOPAU	3" Aluminum Stop Only
T-STOPOAU	6" Offset Aluminium Upright Only
T-STOPRO	6" Offset Rubber Upright Only
T-UC01	U-Clamps
T-UC02	U-Clamp Screws

"ASSASSIN"

Standard Side Roll Setup

The **ASSASSIN** offers dependable, watertight protection to cover your load. Seat belt webbing and reinforced stitching along edges increase tear resistance and helps the tarp withstand the stresses of highway speeds. The standard galvanized steel crank arm lets you operate the **Tarping System** safely from the ground.



TSI Kit #: EDSRK / GTSRK

STANDARD FEATURES:

- Ratchet Straps
- Standard Tarp Stops
- Tarp Bows
- Fabric End Caps (Based on Trailer)
- Appropriate Crank Handle, Retainers, and All Hard ware.

OPTIONAL ACCESSORIES:

- "Lok-Rail" Latch Plate
- Color options and varying material of tarp
- Easy-Off Tarp Stops: Rubber and Aluminum
- Reinforced Steel Tarp Bows
- Nylon 'Flexbow'
- Aluminum End Caps

SYSTEM NO.	DESCRIPTION
ASSN-ED-L-30	End Dump Side Roll Kit for 30' Trailer with Lok Rail
ASSN-ED-R-30	End Dump Side Roll Kit for 30' Trailer with Ratchets
ASSN-ED-L-40	End Dump Side Roll Kit for 40' Trailer with Lok Rail
ASSN-ED-R-40	End Dump Side Roll Kit for 40' Trailer with Ratchets
ASSN-ED-L-50	End Dump Side Roll Kit for 50' Trailer with Lok Rail
ASSN-ED-R-50	End Dump Side Roll Kit for 50' Trailer with Ratchets
Sizes listed are examples. We offer kits for all lengths of a trailer. We do offer all systems with NO BOWS.	
OPTION NO.	DESCRIPTION
ASSN-OT-L-30	Open Top Side Roll Kit for 30' Trailer with Lok Rail
ASSN-OT-R-30	Open Top Side Roll Kit for 30' Trailer with Ratchets
ASSN-OT-L-40	Open Top Side Roll Kit for 40' Trailer with Lok Rail
ASSN-OT-R-40	Open Top Side Roll Kit for 40' Trailer with Ratchets
ASSN-OT-L-50	Open Top Side Roll Kit for 50' Trailer with Lok Rail
ASSN-OT-R-50	Open Top Side Roll Kit for 50' Trailer with Ratchets



REPLACEMENT PARTS

Part No.	Description
T-BOW12	1" Bow Assembly
T-STOP01	Standard Tarp Stop
T-PIPE08	2" Roll Tube 10' Long
T-PIPE09	1 1/8" dia Fix Tube. 10'
T-UC01	Nylon U-Clamp
T-UC02	U-Clamp Screw
T-LR8	'Lok Rail' Latch Plate

Part No.	Description
T-CRANK01	Splined Crank Assembly
T-CRANK1854	Splined Breaking Crank
T-SPLINE02	Spline Shaft Connector
T-SQCOG	Square Cog Attachment
T-RETURN02	Return Bungee Assembly
T-PBRA9	9' Hold Down Assembly
T-CRANK12	RTS Crank Assembly

"Experience the Difference"

UP TO 53'

"ELECTRO-SASSIN"

Electric Conversion for "ASSASSIN"

This **ELECTRO-SASSIN** is an addition to the standard **ASSASSIN** that allows the driver to operate their side roll **Tarping System**, load, and unload right from the comfort and safety of the cab. This kit offers the piece of mind of a conventional side roll kit, but the ease of use of an electric system.



Add "E" to ASSASSIN Kit #

STANDARD FEATURES:

- Flex Arm for end dump applications
- All options from the standard ASSASSIN apply
- 6g Dual Connector Wire

OPTIONAL ACCESSORIES:

- Weather Resistant Reverse Polarity Switch Kit
- Wireless Remote Control
- All options from the standard ASSASSIN apply
- Contact Plate Set

For more images of parts and options view the "Parts Listing" on Page 32



T-RSK



T-STOPRC



Electric Arm



T-RPSS2



T-LR8



T-WRBA

OPTIONAL ACCESSORIES	DESCRIPTION
T-RPSS or RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-RETURN02	Bungee Return Assembly. Substitute for Rear Arm
T-FLEXA	Flex Arm for End Dump Applications
T-CP	Replaces 30' of wire with contact plates
All Options from the Standard ASSASSIN Apply	

REPLACEMENT PARTS

Part No.	Description
T-BOW12	1" Bow Assembly
T-STOP01	Standard Tarp Stop
T-PIPE08	2" Roll Tube 10' Long
T-PIPE09	1 1/8" dia Fix Tube. 10'
T-UC01	Nylon U-Clamp
T-UC02	U-Clamp Screw
T-LR8	'Lok Rail' Latch Plate

Part No.	Description
T-RSK	Rotary Switch Kit
T-W6G	6 Gauge Wire. Per Foot
T-ESLA	Standard Lower Arm

ELECTRICAL COMPONENTS

T-APACHE



APACHE Slim Tarp Motor. 50:1. 12v. 3 yr Wty. 600 Watt

T-TOMAHAWK



TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt

T-ENFORCER



ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt

T-DRONE



DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt

T-CMC



Plastic Motor cover w/ chrome appearance

T-W6G



6 gauge dual wire

T-CB40APB



40 amp push button circuit breaker

T-CB50



50 amp breaker

T-RSK



Rotary switch kit

T-RSO



Rotary switch

T-MP



Rotary switch mounting plate

T-RPSS



Reverse polarity super switch kit

T-RPSS2



Reverse polarity weatherproof switch kit.

T-RPS



Reverse polarity solenoid

T-RPS2



Reverse polarity solenoid

T-RS



Rocker switch

T-RSB



Rocker switch bracket

T-CP



Contact plate set

T-DPPH



Dual pole plug horizontal

T-DPSH



Dual pole socket horizontal

T-DPPV



Dual pole plug vertical

T-DPSV



Dual pole socket vertical

T-W3W16



16 GA. 3 Way Wire

T-WRBA



Electric Remote Box

Tarp Spool

T-AT SMB



Tarp spool mounting bracket

TSI Replacement Parts

25

Tarp Spool (cont)

T-ATA93



Fully Adjustable
Aluminum Tarp Axle

T-SS



Stud shaft

T-ABWF



Axle bearing, 3/4"

T-AWD



Aluminum wind
deflector

T-SWD



Steel wind
deflector

Tarp Spool (cont)

T-#AH



Aluminum
housing

T-AHSB




Housing support
bracket

T-SSTA



SlingShot tarp
axle

T-SCLPBA93



Pull Bar Assembly

T-SSC



SlingShot
Shaft Cap

SlingShot™

Reference Page 13-14

Manual Control

T-CBGL2



Manual brake crank box
**Cab Level Only

T-CBGL1



Ground level crank box
**Spring Loaded Systems Only

T-C#40



Ground level
crank chain

T-SB14



14" sprocket bar

T-CLCH



Cab level crank
handle

T-CG36A



Chain guard

T-CABLSCT



Cab level steel
cross tube

T-AEFC



Pull bar end
foot caps

T-DCLB



Driver side cab level
bracket

T-CAB-ABWF1



Axle bearing . 1"

Reference Page 17-18

PATRIOT

T-PCLB



Passenger side
cab level bracket

T-CABLATA



Cab level tarp axle

T-SSB



Stainless steel
bushing

T-ERR



External retaining
ring

T-STs



Spiral torsion
spring

PATRIOT EXTERNAL (CONT.)**T-ALA78 or ALA93**

78" or 93"
4 spring lower arm

T-ALA593

93" 5 spring
lower arm

T-ASAWC93

93" Aluminum side
arm with corner

T-A30C or A45C

Aluminum 30 or
45 degree elbow

T-A90C

Aluminum 90
degree corner

T-ACT93

Fully Adjustable
Crosstube (93"- 110")

T-PRB

PATRIOT Rubber
bumper

T-PP5SP

5 Spring Pivot Pin

T-PP4SP

4 Spring Pivot Pin

TERMINATOR**T-T90C**

TERMINATOR
90 degree corner for
3 piece cross tube

Reference Page 5-6**T-TPFBC**

Plastic flange
bushing

T-SA10 or BA10

TERMINATOR
lower arm. 10'

T-TERMPC4SP

4 spring pivot
casting

T-TPP4SP2


TERMINATOR
external pivot pin

T-STRB

Stealth Terminator
rubber bumper

PATRIOT UNDERBODY**T-TUBPC**

TERMINATOR
Underbody Pivot
Casting

T-TCTWH

TERMINATOR Underbody
coupling with hardware

T-SCT93

Steel cross tube

T-AUBLA84

PATRIOT Underbody
lower arm. 84"

T-AUBLA144

PATRIOT Underbody
lower arm. 144"

STEALTH STEEL**T-AUBPC**

PATRIOT Underbody
Pivot Casting

T-UBSD10

Underbody 10 Spring
Assembly. Driver

T-UBSP10

Underbody 10 Spring
Assembly. Passenger

T-SLA493

93" 4 spring steel
lower arm

T-SLA593

93" 5 spring steel
lower arm

TSI Replacement Parts

27

STEALTH STEEL

T-SUA93



Steel upper arm

T-S90C



Steel 90 degree corner

T-ABWF1C



1" Axle Bearing w/ Flanges

T-STOP01



Standard Tarp Stop

T-STOPAU



3" Aluminum Tarp Stop

Tarp Stops

T-STOPOAU



6" Aluminum Tarp Stop

T-STOPR



3" Rubber Tarp Stop

T-STOPRO



6" Rubber Tarp Stop

T-STOPSWA



3" Aluminum Tarp Stop Assembly

T-STOPOC



6" Aluminum Tarp Stop Assembly

Tarp Stops

T-STOPRC



3" Rubber Tarp Stop Assembly

T-STOPROC



6" Rubber Tarp Stop Assembly

T-STOPBS



EZ Off Stop Bracket

T-PIN06



Clevis Pin

T-PIN08



Clevis Pin Ring

Crank Retainers

T-RETAIN01



Single Retainer

T-RETAIN03



Spring Lock Single Retainer

T-RETAIN02



7" Offset Pinless Swivel Crank Retainer

T-RETAIN06



Pinless Crank Retainer

T-PIN01



Snapper Pin

Return Assembly

T-RETURN01



Return Rope. 12' for RETURN02

T-RETURN03



Return end plug

T-RETURN04



Return eye bolt

T-RETURN06





Return PVC tube 10'. May include coupling

T-RETURN02



Complete Bungee Return Assembly

Return Assembly**Fixed Tube and Roll Pipe****T-RETURNRD****Complete Wire
Return Assembly****T-CONN01****1 1/8" Fixed Tube
Connector****T-PIPE09****1 1/8" Fixed Tube.
10'****T-CONN02****2" Roll Tube
Connector****T-PIPE08****2" Roll Tube. 10'****T-PIPE10****2" Roll Tube. 10'
w/ Spline****T-PIPE11****2" Roll Tube. 10'
w/ Square Cog****T-UC01****2" Roll Tube Nylon
U-Clamp****T-PIPE07****1 1/2" Ridge Pipe****End Caps****T-CAPA****Aluminum Front
End Cap****T-CAPA-B****Aluminum Rear
End Cap****T-CAPF02****18oz Vinyl Front
End Cap****T-CAPF-02B****18oz Vinyl Rear
End Cap****T-BOW03****3/4" Bow Bracket
For 1" Bow****Tarp Bows****T-BOW02****3/4" Bow Shank
For 1" Bow****T-BOW11****1" Bow w/ one
shank welded****T-BOW18****1" Bow
w/ two shanks****T-BOW12****1" Bow Assembly****T-BOW21****1" Bow Bracket
For 1 1/4" Bow****T-BOW08****1" Bow Shank
For 1 1/4" Bow****T-BOW1-19****1 1/4" Bow w/
one shank welded****T-BOW19****1 1/4" Bow
w/ two shanks****T-BOW13****1 1/4" Bow
Assembly****T-FBAL****Flex Bow Bracket****T-FLEXBOW0101****Flex Bow**

TSI Replacement Parts

29

Hold Downs and Ridge Straps

T-FLEXBOW101



Flex Bow Complete

T-LR8



Aluminum 'Lok Rail' Latch Plate. 8' Span

T-RAT06



1" Ratchet with Hook

T-RAT05



1" Ratchet with Flat Plate

T-STRAP1-46WH



1" Strap with Hook. 46'

T-STRAP1-46FP



1" Strap with Flat Plate. 46'

T-STRAP1-46WH



1" Ridge Strap Set with Hook. 46'

T-STRAP1-46FP



1" Ridge Strap Set with Flat Plate. 46'

T-RAT02



2" Ratchet with Bracket

T-RAT04



2" Ratchet with Hook

T-RAT03



2" Ratchet with Flat Plate

T-PBRS9



2" PBR Roll Tube Strap with D-Ring. 9'

T-STRAP2-46WH



2" Strap with Hook. 46'

T-STRAP2-46FP



2" Strap with Flat Plate. 46'

T-STAPA2-46WH



2" Ridge Strap Set with Hook. 46'

T-STRAP2-46FP



2" Ridge Strap Set with Flat Plate. 46'

T-PBRA9



2" PBR Roll Tube Hold Down Set. 9'

T-CRANK01



L-Series Splined Crank Assembly

T-CRANK01B



L-Series Splined Crank Assembly

T-CRANK01C



L-Series Splined Crank Assembly

Crank Handle Assemblies

Page 29

T-CRANK12



RTS Square Crank Assembly

T-CRANK18-40



L-Series Splined Flex Crank Assembly

T-CRANK18-54



L-Series Splined Flex Crank Assembly

T-CRANKRO



30" L-Series Square Crank Assembly

T-CRANK02



L-Series Crank Arm. 31.5"

Crank Handle Replacements

T-CRANK03



**L-Series Crank Arm.
65"**

T-CRANK05



**RTS Crank Arm.
88"**

Crank Handle Parts

T-CRANK-12EXT



**60" extension
tube for RTS**

T-CRANK07



**80" Extension for
the L-Series**

T-PIN01



Snapper Pin

T-UJ02



Splined U-Joint

T-UJ03



Squared U-Joint

T-CRANK15



**Male Knuckle
for Flex Crank**

T-CRANK16



**Female Knuckle
for Flex Crank**

T-CRANK17



**Slide Lock Tube
for Flex Crank**

T-SPLINE



Spline Insert

T-SPLINE02



**Spline Shaft,
2" dia. connector**

T-SQCOG



Square Cog

T-CRANK14



**Square Key
w/ point**

T-CRANK06



Crank Handle

TARP MOTOR WARRANTY: Tarp motors are under warranty from the moment they leave our shipping warehouse until the pre-determined length of the warranty has come due (3 or 5 years). We have a system in place that tracks motor serial numbers from the time they are invoiced up until the expiration of the warranty. The standard procedure for activating a motor warranty is as follows:

- o Ensure that the motor has not been physically damaged in any way. External damage to the motor caused by loaders, falling debris, tree limbs, etc. automatically voids the warranty.
- o Ensure that the motor has not been separated from the gear box. Our tarp motors are married to the gear box. This helps us guarantee safe operation and any attempt to open the motor or gear box automatically voids the warranty.
- o Ensure that the circuit breaker is properly installed. Using the tarp motor with an improperly or not installed circuit breaker voids the warranty of the tarp motor. The circuit breaker controls the flow of electricity to the motor reducing damages by power surges.
- o Call your sales representative at TSI at **888-838-3229**. At this time the sales representative will ask you a few questions about the tarp motor to include the three items listed above and the sales representative will confirm that the tarp motor’s serial number is in fact under warranty and for the customer to provide a proof of purchase.
- o Box up and ship back the defective unit and **Proof of Purchase** to:

Tarping Systems, Inc.
215 Smith Road
Slocomb, AL 36375

- o After TSI receives and inspects the tarp motor, a replacement motor will be sent out to you at no cost.

MANUFACTURERS GUARANTEE: Tarping Systems, Inc. acknowledges that sometimes the manufacturing process yields defects and sometimes shipping causes damage. In the event that we do not catch a defective unit prior to shipping, or if an item is delivered in sub-par condition, then we are committed to making sure that your experience with TSI is one that you will brag about to other people.

Apart from the items listed below, Tarping Systems, Inc. warranties all its products to be free from defects in material and workmanship for a period of thirty (30) days from the date of invoice

Product	Warranty Period
Tarps	30 days from date of invoice
Tarp Motors: APACHE & TOMAHAWK™	36 months from date of invoice
Tarp Motors: ENFORCER & DRONE	60 months from date of invoice
SlingShot Spring	36 months from date of invoice
Steel and Aluminum Side Arms	365 days from date of invoice